

This document was prepared in conjunction with work accomplished under Contract No. DE-AC09-96SR18500 with the U. S. Department of Energy.

DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

This report has been reproduced directly from the best available copy.

**Available for sale to the public, in paper, from: U.S. Department of Commerce, National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161,
phone: (800) 553-6847,
fax: (703) 605-6900
email: orders@ntis.fedworld.gov
online ordering: <http://www.ntis.gov/help/index.asp>**

**Available electronically at <http://www.osti.gov/bridge>
Available for a processing fee to U.S. Department of Energy and its contractors, in paper, from: U.S. Department of Energy, Office of Scientific and Technical Information, P.O. Box 62, Oak Ridge, TN 37831-0062,
phone: (865)576-8401,
fax: (865)576-5728
email: reports@adonis.osti.gov**

Appendix C - Calibration summary plots for single- and dual-media parameter optimization matrices for F- and H-areas


Optimal values of single- and dual-media transport parameters for the F- and H-area seepage basins were empirically determined by assessing model performance against source term and monitoring data for the input matrices defined below. Calibration summary plots for each case are provided in the remainder of the appendix.


F-area single-medium cases		Effective porosity, θ_{eff} (unitless)				
		0.20	0.25	0.30	0.35	0.40
Dispersivity α_L (ft)	40	FS 1	FS 2	FS 3	FS 4	FS 5
	80	FS 6	FS 7	FS 8	FS 9	FS 10
	160	FS 11	FS 12	FS 13	FS 14	FS 15
	320	FS 16	FS 17	FS 18	FS 19	FS 20
	640	FS 21	FS 22	FS 23	FS 24	FS 25


H-area single-medium cases		Effective porosity, θ_{eff} (unitless)				
		0.20	0.25	0.30	0.35	0.40
Dispersivity α_L (ft)	12.5	HS 1	HS 2	HS 3	HS 4	HS 5
	25	HS 6	HS 7	HS 8	HS 9	HS 10
	50	HS 11	HS 12	HS 13	HS 14	HS 15
	100	HS 16	HS 17	HS 18	HS 19	HS 20
	200	HS 21	HS 22	HS 23	HS 24	HS 25


F-area dual-media cases		Mobile porosity, θ_m (unitless)				
		0.1	0.1414	0.2	0.2828	0.4
Mass ζ (d^{-1}) transfer coefficient	2.5E-05	FD 1	FD 2	FD 3	FD 4	FD 5
	5.0E-05	FD 6	FD 7	FD 8	FD 9	FD 10
	1.0E-04	FD 11	FD 12	FD 13	FD 14	FD 15
	2.0E-04	FD 16	FD 17	FD 18	FD 19	FD 20
	4.0E-04	FD 21	FD 22	FD 23	FD 24	FD 25
		0.35	0.3086	0.25	0.167	0.05
		Immobile porosity, θ_{im} (unitless)				


H-area dual-media cases		Mobile porosity, θ_m (unitless)						
		0.025	0.0354	0.05	0.0707	0.1	0.1414	0.2
Mass ζ (d^{-1}) transfer coefficient	2.5E-05	HD 1	HD 2	HD 3	HD 4	HD 5	HD 26	HD 27
	5.0E-05	HD 6	HD 7	HD 8	HD 9	HD 10	HD 28	HD 29
	1.0E-04	HD 11	HD 12	HD 13	HD 14	HD 15	HD 30	HD 31
	2.0E-04	HD 16	HD 17	HD 18	HD 19	HD 20	HD 32	HD 33
	4.0E-04	HD 21	HD 22	HD 23	HD 24	HD 25	HD 34	HD 35
		0.425	0.4146	0.40	0.379	0.35	0.309	0.25
		Immobile porosity, θ_{im} (unitless)						






































































































































































































































































































































This page intentionally left blank