

Keywords: *Tank 50, Waste Acceptance
Criteria, Saltstone*

Retention: *Permanent*

Results for the First Quarter 2013 Tank 50 WAC Slurry Sample: Chemical and Radionuclide Contaminants

C. J. Bannochie

May 2013

Savannah River National Laboratory
Savannah River Nuclear Solutions
Aiken, SC 29808

Prepared for the U.S. Department of Energy under
contract number DE-AC09-08SR22470.



DISCLAIMER

This work was prepared under an agreement with and funded by the U.S. Government. Neither the U.S. Government or its employees, nor any of its contractors, subcontractors or their employees, makes any express or implied:

1. warranty or assumes any legal liability for the accuracy, completeness, or for the use or results of such use of any information, product, or process disclosed; or
2. representation that such use or results of such use would not infringe privately owned rights; or
3. endorsement or recommendation of any specifically identified commercial product, process, or service.

Any views and opinions of authors expressed in this work do not necessarily state or reflect those of the United States Government, or its contractors, or subcontractors.

Printed in the United States of America

**Prepared for
U.S. Department of Energy**

REVIEWS AND APPROVALS

AUTHOR:

C. J. Bannochie, Process Technology Programs

Date

TECHNICAL REVIEW:

R. E. Eibling, Engineering Process Development

Date

APPROVAL:

E. N. Hoffman, Manager
Engineering Process Development

Date

S. L. Marra, Manager
Environmental & Chemical Process Technology Research Programs

Date

J. S. Contardi, Manager
Saltstone Engineering

Date

D. J. Martin, Manager
Tank Farm Flowsheet

Date

EXECUTIVE SUMMARY

This report details the chemical and radionuclide contaminant results for the characterization of the 2013 First Quarter sampling of Tank 50 for the Saltstone Waste Acceptance Criteria (WAC).¹ Information from this characterization will be used by Waste Solidification Engineering (WSE) to support the transfer of low-level aqueous waste from Tank 50 to the Salt Feed Tank in the Saltstone Facility in Z-Area, where the waste will be immobilized. This information is also used to update the Tank 50 Waste Characterization System.

The following conclusions are drawn from the analytical results provided in this report:

- SRR WAC targets or limits were met for all analyzed chemical and radioactive contaminants unless noted in this section.
- ⁵⁹Ni, ⁹⁴Nb, ²⁴⁷Cm, ²⁴⁹Cf, and ²⁵¹Cf are above the requested SRR target concentrations². However, they are below the detection limits established by SRNL³.
- Norpar 13 and Isopar L have higher detection limits⁴ compared with the Saltstone WAC¹. The data provided in this report is based upon the concentrations in the sub-sample, and due to the limited solubility in aqueous solution, may not represent the concentrations of the analytes in Tank 50.
- The low insoluble solids content increases the measurement uncertainty for insoluble species.

TABLE OF CONTENTS

LIST OF TABLES	vi
LIST OF ABBREVIATIONS	vii
1.0 Introduction.....	1
2.0 Experimental	1
3.0 Results and Discussion	2
4.0 Conclusions.....	9
5.0 References.....	10
6.0 Distribution	11

LIST OF TABLES

Table -3-1. Results for the 1st Quarter 2013 Tank 50 Slurry Samples for Chemical Contaminants Listed in Attachment 8.1 of the Saltstone WAC, Revision 11	2
Table -3-2. Results for the 1st Quarter 2013 Tank 50 Slurry Samples for Chemical Contaminants Listed in Attachment 8.2 of the Saltstone WAC, Revision 11	3
Table -3-3. Results for 1st Quarter 2013 Tank 50 Slurry Samples and WAC Limits for Radionuclide Contaminants Listed in Attachment 8.3 of the Saltstone WAC, Revision 11	4
Table 3-4. Results for the 1st Quarter 2013 Tank 50 Slurry Samples and WAC Targets for Radionuclide Contaminants Listed in Attachment 8.4 of the Saltstone WAC, Revision 11	5
Table -3-5. Results for the 1st Quarter 2013 Tank 50 Slurry Samples for Acceptance Criteria Limits for Chemical Contaminants Impacting Vault Flammability, Listed in Table 3 of the Saltstone WAC, Revision 11	6
Table -3-6. Results for the 1st Quarter 2013 Tank 50 Slurry Samples for Concentrations of “Other Organics” Impacting Vault Flammability, Listed in Table 4 of the Saltstone WAC, Revision 11	6
Table -3-7. Results for the 1st Quarter 2013 Tank 50 Slurry Samples for Saltstone Processing Criteria WAC Limits, Listed in Table 5 of the Saltstone WAC, Revision 11	7
Table -3-8. Requests for Constituents for TCLP/UHC Support as well as from the TTR for the 1st Quarter 2013 Tank 50 Slurry Samples; Results Not Contained in Previous Tables.....	7
Table -3-9. Requests from the WSE for Corrosion Species from the 1st Quarter 2013 Tank 50 Slurry Samples; Results Not Contained in Previous Tables.....	8
Table -3-10. Additional Radionuclides Requested for Inventory Reporting Requirements	8

LIST OF ABBREVIATIONS

AA	Atomic Absorption (spectroscopy)
AD	Analytical Development
ARP/MCU	Actinide Removal Process/Modular CSSX Unit
CLFL	Composite Lower Flammability Limit
CSSX	Caustic Side Solvent Extraction
CVAA	Cold Vapor Atomic Absorption
DDA	Deliquification, Dissolution and Adjustment
EPA	Environmental Protection Agency
ETP	Effluent Treatment Project
GC/MS	Gas Chromatograph/Mass Spectrometer
HDPE	High Density Polyethylene
HPLC	High Performance Liquid Chromatography
IC	Ion Chromatography
ICP-AES	Inductively coupled plasma – atomic emission spectroscopy
ICP-MS	Inductively coupled plasma – mass spectrometry
L	Liter
LLW	Low Level Waste
LSC	Liquid Scintillation Counting
MDL	Method Detection Limit
MRL	Method Reporting Limit
mg	Milligram
mL	Milliliter
NA	Not Applicable
ND	Not Determined
pCi/mL	Picocurie per milliliter
RSD	Relative Standard Deviation
SC	Shielded Cells (Facility)
SDF	Saltstone Disposal Facility
SFT	Salt Feed Tank
SPF	Saltstone Production Facility
SRNL	Savannah River National Laboratory
SRR	Savannah River Remediation
SRS	Savannah River Site

SVOA	Semi-volatile Organic Analysis
TCLP/UHC	Toxic Characterization Leaching Procedure/Underlying Hazardous Constituent
TIC	Tentatively Identifiable Compound
TIC/TOC	Total inorganic carbon/total organic carbon
TTQAP	Task Technical and Quality Assurance Plan
TTR	Technical Task Request
VOA	Volatile organic analysis
WAC	Waste Acceptance Criteria
WCS	Waste Characterization System
WSE	Waste Solidification Engineering
WT %	Weight percent

1.0 Introduction

The Saltstone Facility is designed and permitted to treat low-level radioactive and hazardous liquid waste (salt solution) remaining from the processing of radioactive material at the Savannah River Site.¹ Low-level waste (LLW) streams from the Effluent Treatment Project (ETP), H-Canyon, and the decontaminated salt solution product from the Actinide Removal Process/Modular Caustic Side Solvent Extraction (CSSX) Unit (ARP/MCU) process are stored in Tank 50 until the LLW can be transferred to the Saltstone Facility for treatment and disposal. The LLW must meet the specified waste acceptance criteria (WAC) before it is processed into saltstone.¹ The specific chemical and radionuclide contaminants and their respective WAC limits are in the current Saltstone WAC.¹

Waste Solidification Engineering (WSE) requested that the Savannah River National Laboratory (SRNL) perform quarterly analysis on saltstone samples.⁵ The concentrations of chemical and radionuclide contaminants are measured to ensure the saltstone produced during each quarter is in compliance with the current WAC.^{1, 5, 6} This report documents the concentrations of chemical and radionuclide contaminants and discusses those results for the 2013 First Quarter samples collected from Tank 50 on January 17, 2013.

2.0 Experimental

On January 17, 2013, one 3-L sampler (HTF-50-13-4) and one 200-mL sampler (HTF-50-13-5) were collected from Tank 50 for the First Quarter 2013 (2Q13) WAC analyses and delivered the same day to the SRNL Shielded Cells (SC). The 200 mL sampler is a dip sample taken six inches below the surface and the 3-L sampler was pulled 66 inches from the bottom of the tank with one agitator pump running.

At SRNL, slurry samples (~15 mL each) from HTF-50-13-5 were transferred with glass pipettes to glass vials with Teflon-lined caps. The vials were completely filled to minimize the void space and the volatilization of organics. The aliquots were transferred to the Analytical Development (AD) Organic Analysis Laboratory for semi-volatile and volatile organic analysis (SVOA and VOA, respectively). Two additional 15-mL aliquots were used for SVOA analysis to determine the concentration of Isopar L and Norpar 13, respectively, in the sample.

After the samples for organic analyses were obtained, the slurries in the steel samplers were combined into a 4-L high density polyethylene (HDPE) bottle. The 200 mL steel sampler was agitated to disperse any solids in the slurry and poured into the 4-L bottle. The transferred slurry was left to settle in the 4-L bottle. Visual inspection of the inside of each sampler indicated there were no visible solids remaining in the samplers, so no clear supernate was returned to either sampler for rinsing. The total weight of the transferred slurry was 4025.26g.

The 4-L HDPE bottle was agitated to thoroughly disperse the extremely limited solids into the supernate. Aliquots of slurry samples were promptly collected with slurry pipettes to minimize settling effects and placed into HDPE bottles. A three milliliter sample of the slurry was used to determine the density of the slurry using an Anton-Paar DMA 35n portable density meter.

Slurry samples were submitted in triplicate to SRNL laboratories for the following analyses:

- Six-mL aliquots to the AD Ion Chromatography (IC) Laboratory for soluble anion and cation analyses.
- Three-mL aliquots to the AD Organic Analysis Laboratory for measurement of tetraphenylborate and ethylenediaminetetraacetate by high performance liquid chromatography (HPLC).

- Six-mL aliquots to the AD Wet Chemistry Laboratory for Total Inorganic Carbon/ Total Organic Carbon (TIC/TOC) analyses.
- Two 70-mL aliquots to AD Radiochemistry Laboratory for radiochemical separations and analyses.
- Twelve-mL aliquots of filtered supernate were prepared by filtering aliquots of supernate using a 0.45 micron syringe filter. The filtered supernate samples were then submitted to the AD Wet Chemistry Laboratory for TIC/TOC analyses and Total Base analyses.
- Twelve-mL aliquots were sent to the AD Dissolution Laboratory for digestion using an aqua regia method⁷. Visual inspection of the digested sample by the AD Task Supervisor indicated that all the solids had dissolved. Aliquots of dissolved slurries were analyzed using inductively coupled plasma – atomic emission spectroscopy (ICP-AES), inductively coupled plasma – mass spectrometry (ICP-MS), atomic absorption spectroscopy (AA) for As, K, Na, and Se, and cold vapor atomic absorption spectroscopy (CVAA) for Hg.

3.0 Results and Discussion

The following tables contain the results for the 1Q13 WAC analyses. Each table provides the analyte of interest, the method used for measuring that analyte, the average concentration of the analyte based on triplicate samples (unless otherwise noted), the standard deviation of the average, and, if applicable, the WAC target or limit for the analyte concentration. Several of the contaminants were either not detected in the slurry samples or detected at values below the method reporting limit (MRL). For those analytes, the result is preceded by a “<” which indicates the result is an upper limit based on the sensitivity of the method/equipment used to analyze the individual analyte.

Tables 3-1, 3-2, 3-3 and 3-4 are based directly on attachments 8.1, 8.2, 8.3, and 8.4, respectively, of the WAC.¹

Table -3-1. Results for the 1st Quarter 2013 Tank 50 Slurry Samples for Chemical Contaminants Listed in Attachment 8.1 of the Saltstone WAC, Revision 11

<u>Chemical Name</u>	<u>Method</u>	<u>Average Concentration (mg/L)</u>	<u>Std. Dev.</u>	<u>WAC Limit (mg/L)</u>
Ammonium (NH ₄ ⁺)	IC	<5.00E+01	NA	5.88E+03
Carbonate (CO ₃ ²⁻)	TIC	1.20E+04 ^a	5.00E+01	1.20E+05
Chloride (Cl ⁻)	IC	<2.50E+02	NA	7.95E+03
Fluoride (F ⁻)	IC	<2.50E+02	NA	4.07E+03
Free Hydroxide (OH ⁻)	Total base	3.38E+04 ^a	1.96E+02	1.58E+05
Nitrate (NO ₃ ⁻)	IC	1.13E+05	4.04E+03	4.37E+05
Nitrite (NO ₂ ⁻)	IC	1.42E+04	9.94E+02	2.14E+05
Oxalate (C ₂ O ₄ ²⁻)	IC	4.35E+02	4.71E+01	2.72E+04
Phosphate (PO ₄ ³⁻)	ICP-ES	4.27E+02	2.19E+00	2.94E+04
Sulfate (SO ₄ ²⁻)	IC	4.05E+03	2.08E+02	5.69E+04
Arsenic (As)	ICP-ES	<4.12E+00	NA	1.50E+02
Barium (Ba)	ICP-ES	<4.61E-01	NA	6.19E+02
Cadmium (Cd)	ICP-ES	<7.31E-01	NA	3.10E+02
Chromium (Cr)	ICP-ES	3.55E+01	1.89E-01	1.24E+03
Lead (Pb)	ICP-MS	6.08E-01	3.10E-02	6.19E+02

Mercury (Hg)	AA	5.03E+01	6.09E-01	3.25E+02
Selenium (Se)	ICP-ES	<7.90E+00	NA	4.46E+02
Silver (Ag)	ICP-ES	<9.74E-01	NA	6.19E+02
Aluminum (Al)	ICP-ES	3.86E+03	1.43E+01	1.16E+05
Potassium	ICP-ES	2.76E+02	8.22E+00	3.03E+04
Nickel Hydroxide	ICP-ES	<2.85E+00 ^d	NA	1.17E+03
n-Butanol	VOA	<5.00E-01 ^b	NA	7.73E+00
i-Butanol	VOA	<5.00E-01 ^b	NA	7.73E+00
i-Propanol	VOA	<2.50E-01 ^b	NA	1.88E+00
Phenol	SVOA	<1.00E+01 ^b	NA	7.50E+02
Isopar L	SVOA	<2.67E+01 ppm ^{b,c}	NA	6.56E+01 ppm
Total organic carbon	TOC	3.31E+02 ^a	4.16E+00	5.00E+03
Tetraphenylborate (TPB anion)	HPLC	<5.00E+00	NA	5.00E+00

a. Measurement performed on filtered supernate samples.

b. Measurement performed on duplicate samples rather than triplicate samples.

c. Result is calculated from the reported concentration of < 33 mg/L and the density of the slurry sample listed in Table 3-8.

d. Result is calculated from the measured Ni concentration assuming all of the Ni is present as the hydroxide compound.

Table -3-2. Results for the 1st Quarter 2013 Tank 50 Slurry Samples for Chemical Contaminants Listed in Attachment 8.2 of the Saltstone WAC, Revision 11

<u>Chemical Name</u>	<u>Method</u>	<u>Average Concentration (mg/L)</u>	<u>Std. Dev.</u>	<u>WAC TARGET (mg/L)</u>
Boron (B)	ICP-ES	5.24E+01	1.89E-01	7.43E+02
Cobalt (Co)	ICP-MS	<2.89E-01	NA	7.43E+02
Copper (Cu)	ICP-ES	<2.58E+00	NA	7.43E+02
Iron (Fe)	ICP-ES	4.28E+00	1.14E-01	4.95E+03
Lithium (Li)	ICP-ES	1.12E+01	1.87E-01	7.43E+02
Manganese (Mn)	ICP-ES	1.14E+00	2.16E-02	7.43E+02
Molybdenum (Mo)	ICP-ES	<8.54E+00	NA	7.43E+02
Nickel (Ni)	ICP-ES	<1.80E+00	NA	7.43E+02
Silicon (Si)	ICP-ES	3.63E+01	5.41E+00	1.07E+04
Strontium (Sr)	ICP-ES	<4.35E-02	NA	7.43E+02
Zinc (Zn)	ICP-ES	1.48E+01	0	8.03E+02
Benzene	VOA	<1.50E-01 ^a	NA	3.10E+02
Methanol	VOA	b	NA	1.88E+00
Toluene	VOA	<1.50E-01 ^a	NA	3.10E+02
Dibutylphosphate (DBP)	IC	<2.75E+02	NA	3.47E+02
Tributyl Phosphate (TBP)	SVOA	<7.50E-01 ^a	NA	7.50E+00
EDTA	HPLC	<1.00E+02	NA	3.10E+02
Norpar 13	SVOA	<7.50E-01 ^a	NA	1.00E-01

a. Measurement performed on duplicate samples rather than triplicate samples.

b. Currently, a routine method for detecting this species does not exist in SRNL.

As indicated in Tables 3-1 and 3-2, all of the contaminants are within the WAC limits with the exception of Norpar 13. In October 2010, SRNL reviewed the MRL's for the organic constituents in Tank 50. All of the MRL's are at or below the WAC limits for the organics with the exception of Norpar 13 which has an MRL of 0.75 mg/L, which is above the WAC limit.⁵ Isopar L and Norpar 13 have negligible solubility

in aqueous solutions, which makes it difficult to obtain reliable sub-samples of the original sample. The values reported in these tables are the concentrations as detected by the GC/MS but may not necessarily be an accurate representation of the concentrations of these analytes in Tank 50.

Table -3-3. Results for 1st Quarter 2013 Tank 50 Slurry Samples and WAC Limits for Radionuclide Contaminants Listed in Attachment 8.3 of the Saltstone WAC, Revision 11

<u>Radionuclide</u>	<u>Method</u>	<u>Average Concentration (pCi/mL)</u>	<u>Std. Dev.</u>	<u>WAC LIMIT (pCi/mL)</u>
Tritium (³H)	Tritium counting	5.50E+02	3.55E+01	5.63E+05
Carbon-14 (¹⁴C)	C-14 Liquid scintillation	2.95E+02	5.99E+01	1.13E+05
Nickel-63 (⁶³Ni)	Ni-59/63	<6.17E+00	NA	1.13E+05
Strontium-90 (⁹⁰Sr)	Sr-90 Liquid scintillation	4.38E+03	8.70E+02	2.25E+07
Technetium-99 (⁹⁹Tc)	Tc-99 Liquid scintillation	2.07E+04	1.02E+03	2.11E+05
Iodine-129 (¹²⁹I)	I-129 (w/ separation) Liquid scintillation	1.24E+01	6.31E-01	3.80E+02
Cesium-137 (¹³⁷Cs)	Gamma Scan	9.55E+05	4.68E+04	7.13E+06
Uranium-233 (²³³U)	ICP-MS	<1.69E+02	NA	1.13E+04
Uranium-235 (²³⁵U)	ICP-MS	1.83E-01	3.08E-03	1.13E+02
Plutonium-241 (²⁴¹Pu)	Pu238/241 Liquid scintillation	<7.30E+02	NA	8.38E+05
Total Alpha	Liquid Scintillation Counting	<2.78E+03	NA	2.50E+05

As shown in Table 3-4, none of the radionuclide contaminants exceed the targets listed in the latest revision of the WAC. In a memo from Savannah River Remediation (SRR), the requested detection limits for several radionuclides were lowered in order to accommodate future inventory reporting requirements.² The reported detection limits of ⁵⁹Ni and ⁹⁴Nb are above the limits requested by SRR (6.59E+00 and 2.00E-03 pCi/mL, respectively)² but below the quantification limits established by SRNL (2.00E+01 and 4.38E-01 pCi/mL, respectively).³

The concentration of ¹³⁵Cs is calculated by assigning all of the mass at 135 to cesium. It is assumed all the mass detected at mass 244 is ²⁴⁴Pu. The Pu alpha Pulse Height Analysis (PHA) method does not resolve the alpha activities of ²³⁹Pu and ²⁴⁰Pu. To determine the maximum concentration of each radionuclide, the total activity is assigned to each radionuclide separately. As shown in Table 3-4, the reported activity is below the WAC limit for each radionuclide.

The average value reported for Am-241 is from the Cs-removed gamma scan per the usual practice, but a slightly different average value was calculated using data from alpha PHA targets. Only one of the three replicates showed a small variation between the two measurement methods (gamma method: 16.2 dpm/mL vs alpha PHA method: 16.0 dpm/mL). This is noted here because the alpha PHA derived values were the ones used to scale the remainder of the Am and Cm isotope activities reported in Table 3-4. The impact to the reported values is insignificant relative to the uncertainty in any given value.

Table 3-4. Results for the 1st Quarter 2013 Tank 50 Slurry Samples and WAC Targets for Radionuclide Contaminants Listed in Attachment 8.4 of the Saltstone WAC, Revision 11

<u>Radionuclide</u>	<u>Method</u>	<u>Average Concentration (pCi/mL)</u>	<u>Std. Dev.</u>	<u>WAC TARGET (pCi/mL)</u>
Aluminum-26 (²⁶Al)	Gamma scan (Cs removed)	<1.66E-01	NA	2.88E+03
Cobalt-60 (⁶⁰Co)	Gamma scan (Cs removed)	2.98E-01	2.55E-03	4.87E+03
Potassium-40 (⁴⁰K)	Gamma scan (Cs removed)	<1.33E+00	NA	1.00E+02
Nickel-59 (⁵⁹Ni)	Ni-59/63	<9.68E+00	NA	1.13E+03
Selenium-79 (⁷⁹Se)	Se-79	<1.00E+01	NA	1.90E+04
Zirconium-93 (⁹³Zr)	ICP-MS	<4.37E+01	NA	1.00E+05
Niobium-94 (⁹⁴Nb)	Gamma scan (Cs removed)	<3.51E-01	NA	1.53E+02
Ruthenium-106 (¹⁰⁶Ru)	Gamma scan (Cs removed)	<2.35E+00	NA	1.13E+06
Antimony-125 (¹²⁵Sb)	Gamma scan (Cs removed)	7.54E+01	2.48E+00	3.99E+04
Tin-126 (¹²⁶Sn)	Gamma scan (Cs removed)	1.36E+02	1.47E+01	1.80E+04
Cesium-134 (¹³⁴Cs)	Gamma Scan	<3.31E+01	NA	3.28E+04
Cesium-135 (¹³⁵Cs)	ICP-MS	<2.00E+01	NA	1.50E+03
Cerium-144 (¹⁴⁴Ce)	Gamma scan (Cs removed)	<2.29E+00	NA	1.13E+05
Promethium-147 (¹⁴⁷Pm)	Pm-147/Sm- 151 Liquid scintillation	<3.35E+01	NA	5.63E+06
Samarium-151 (¹⁵¹Sm)	Pm-147/Sm- 151 Liquid scintillation	<2.56E+01	NA	2.25E+04
Europium-154 (¹⁵⁴Eu)	Gamma scan (Cs removed)	2.60E+00	1.72E-01	8.03E+03
Europium-155 (¹⁵⁵Eu)	Gamma scan (Cs removed)	<1.14E+00	NA	1.13E+04
Radium-226 (²²⁶Ra)	Ra-226	<5.14E+00	NA	1.00E+03
Radium-228 (²²⁸Ra)	Gamma scan (Cs removed)	<1.35E+00	NA	1.00E+04
Actinium-227 (²²⁷Ac)	Th-229/230	<2.61E-02	NA	1.00E+04
Thorium-229 (²²⁹Th)	Th-229/230	<2.51E-02	NA	1.63E+05
Thorium-230 (²³⁰Th)	Th-229/230	<3.39E-02	NA	6.26E+03
Thorium-232 (²³²Th)	ICP-MS	<1.91E-03	NA	2.88E+03
Protactinium-231 (²³¹Pa)	Pa-231	<1.23E+00	NA	1.00E+03
Uranium-232 (²³²U)	U-232	3.46E+00	5.70E-01	1.71E+05
Uranium-234 (²³⁴U)	ICP-MS	<1.09E+02	NA	1.13E+04
Uranium-236 (²³⁶U)	ICP-MS	<1.13E+00	NA	1.13E+04
Uranium-238 (²³⁸U)	ICP-MS	4.02E+00	1.51E-01	1.13E+04
Neptunium-237 (²³⁷Np)	ICP-MS	<1.23E+01	NA	1.00E+04

Plutonium-238 (²³⁸Pu)	Pu238/241 Pu alpha PHA	2.00E+03	9.24E+01	2.50E+05
Plutonium-239 (²³⁹Pu)	Pu238/241 Pu alpha PHA	<1.05E+02	NA	2.50E+05
Plutonium-240 (²⁴⁰Pu)	Pu238/241 Pu alpha PHA	<1.05E+02	NA	2.50E+05
Plutonium-242 (²⁴²Pu)	ICP-MS	<6.65E+01	NA	2.50E+05
Plutonium-244 (²⁴⁴Pu)	ICP-MS	<3.09E-01	NA	7.02E+04
Americium-241 (²⁴¹Am)	Gamma scan (Cs removed)	6.92E+00	1.54E+00	2.50E+05
Americium-242m (^{242m}Am)	Am/Cm	<1.14E+01	NA	4.50E+05
Americium-243 (²⁴³Am)	Am/Cm	<4.45E-01	NA	2.50E+05
Curium-242 (²⁴²Cm)	Am/Cm	<9.41E-02	NA	1.13E+04
Curium-244 (²⁴⁴Cm)	Am/Cm	1.83E+01	9.23E+00	2.50E+05
Curium-245 (²⁴⁵Cm)	Am/Cm	<1.30E+00	NA	2.25E+05

a. Measurement based on a single sample with a long 55 hour count.

Tables 3-5 and 3-6 list the chemical contaminants that impact vault flammability. These chemicals must be monitored to ensure flammable gases do not contribute more than 10% of the Composite Lower Flammability Limit (CLFL).¹

Table -3-5. Results for the 1st Quarter 2013 Tank 50 Slurry Samples for Acceptance Criteria Limits for Chemical Contaminants Impacting Vault Flammability, Listed in Table 3 of the Saltstone WAC, Revision 11

<u>Chemical Name</u>	<u>Method</u>	<u>Average Concentration (mg/L)</u>	<u>Std. Dev.</u>	<u>WAC Limit</u>
Isopar L	SVOA	<2.67E+01 ppm ^a	NA	1.10E+01 ppm
Tetraphenylborate (TPB anion)	HPLC	<5.00E+00	NA	5.00E+00 mg/L
Ammonium (NH₄⁺)	IC	<5.00E+01	NA	2.12E+02 mg/L

a. Result is calculated from the reported concentration of < 33 mg/L and the density of the slurry sample.

Table -3-6. Results for the 1st Quarter 2013 Tank 50 Slurry Samples for Concentrations of “Other Organics” Impacting Vault Flammability, Listed in Table 4 of the Saltstone WAC, Revision 11

<u>Chemical Name</u>	<u>Method</u>	<u>Average Concentration (mg/L)</u>	<u>Std. Dev.</u>	<u>WAC Concentrations</u>
n-Butanol	VOA	<5.00E-01	NA	0.75 mg/L
Tributylphosphate	SVOA	<7.50E-01	NA	1.0 mg/L
i-Propanol	VOA	<2.50E-01	NA	0.25 mg/L
Methanol	a	NA	NA	0.25 mg/L
Norpar 13	SVOA	<7.50E-01	NA	0.1 mg/L

a. Currently, a routine method for detecting this species does not exist in SRNL.

Isopar L and Norpar 13 are the only species considered in Tables 3-5 or 3-6 with reported values above the WAC limit. Although the reported detection limit for Isopar L is greater than the WAC limit for vault flammability, it is below the WAC limits for accident analysis as shown in Table 3-1. It should be noted

that the detection limit for Isopar L was expected based on current SRNL capabilities.⁴ The reported detection limit for Norpar is above the WAC limit for both accident analysis (Table 3-2) and vault flammability (Table 3-6) but it is the lowest achievable MRL for this analyte.⁴ As previously discussed, the insolubility of Isopar L and Norpar 13 makes sub-sampling difficult, therefore the reported results are not necessarily representative of the concentration of these analytes in the Tank 50 sample received by SRNL.

Table 3-7 provides results for the processing criteria for transfers into the Saltstone Facility.

Table -3-7. Results for the 1st Quarter 2013 Tank 50 Slurry Samples for Saltstone Processing Criteria WAC Limits, Listed in Table 5 of the Saltstone WAC, Revision 11

<u>Processing Criterion</u>	<u>Method</u>	<u>Value</u>	<u>Std. Dev.</u>
pH > 10	Calculated	>13	NA
2.5 M < [Na⁺] < 7.0 M	ICP-ES	5.23 M	0.0276
Total Insoluble Solids <15 wt%	Calculated	0.400 wt%	0.744

All of the results contained in Table 3-7 fall within the general processing criteria. The pH was calculated using the free base concentration (OH⁻). The low insoluble solids content makes subsampling difficult.

Table 3-8 provides constituents listed in the Technical Task Request but not contained in the WAC.

Table -3-8. Requests for Constituents for TCLP/UHC Support as well as from the TTR for the 1st Quarter 2013 Tank 50 Slurry Samples; Results Not Contained in Previous Tables

<u>Constituent</u>	<u>Method</u>	<u>Average Value (mg/L, unless stated otherwise)</u>	<u>Std. Dev.</u>
Antimony (Sb)	ICP-ES	<3.00E+01	NA
Beryllium (Be)	ICP-ES	<1.04E-01	NA
Cyanide (CN)	a	NA	NA
Thallium (Tl)	ICP-MS	4.96E+00	1.89E+00
Density (slurry)	Measured (21.9°C)	1.2346 g/mL	0.0019
Total Beta	LSC	1.20E+06 pCi/mL	1.71E+04
Total Solids	Measured	28.53 wt%	0.123

a. Currently, a routine method for detecting this species does not exist in SRNL.

The results from Table 3-8 are used to support TCLP/UHC testing by a certified laboratory.⁹ The density of the slurry was measured at 21.9 °C. Natural Tl is composed of two isotopes, ²⁰³Tl and ²⁰⁵Tl with fractional abundances of 0.295 and 0.705, respectively. The concentration of each isotope was divided by

its fractional abundance, and the reported concentration of Tl is that determined from averaging the six values determined from the three replicates for each isotope.

The tank corrosion species listed in Table 3-9 were requested by Waste Solidification Engineering (WSE).¹⁰ Specific gravity was calculated by dividing the measured density of the slurry (given in Table 3-8 at 21.9 °C) by the density of water at the same temperature.⁸

Table -3-9. Requests from the WSE for Corrosion Species from the 1st Quarter 2013 Tank 50 Slurry Samples; Results Not Contained in Previous Tables

<u>Constituent</u>	<u>Method</u>	<u>Average Value</u>	<u>Std. Dev.</u>
Specific Gravity	a	1.2374	0.0019
Ba-137m	b	9.03E+05 pCi/mL	4.43E+04
Total Gamma	c	9.04E+05 pCi/mL	2.56E+04

a. Calculated from the measured density of slurry and density of water at 21.9 °C.⁸

b. Calculated from the measured concentration of Cs-137.

c. Calculated from the sum of measured gamma emitters.

The radionuclide ^{137m}Ba is the radioactive daughter of 94.6% of the beta decay of ¹³⁷Cs. 5.3% of the ¹³⁷Cs decays to stable ¹³⁷Ba. The half-life of the parent radionuclide, ¹³⁷Cs, is five times longer than its daughter, ^{137m}Ba, therefore the two radionuclides are in secular equilibrium. Radionuclides in secular equilibrium have the same activity associated with their decay. Thus the activity of ^{137m}Ba is 94.6% of the activity of the ¹³⁷Cs or 9.03+05 pCi/mL. The activities calculated for total gamma and ^{137m}Ba are expected to be close for this sample because the total gamma activity is dominated by ^{137m}Ba, the radioactive daughter of ¹³⁷Cs. The total gamma activity was calculated by summing the measured gamma activity of the major gamma emitters: ⁶⁰Co, ¹²⁵Sb, ¹²⁶Sb, ¹²⁶Sn, ¹³⁷Cs (via ^{137m}Ba), ¹⁵⁴Eu, and ²⁴¹Am.

Table 3-10 provides results for additional radionuclides not listed in the WAC but which now require quantification in order to support inventory reporting requirements.

Table -3-10. Additional Radionuclides Requested for Inventory Reporting Requirements

<u>Radionuclide</u>	<u>Method</u>	<u>Average Concentration (pCi/mL)</u>	<u>Std. Dev.</u>
Niobium-93m (^{93m} Nb)	ICP-MS	<4.27E+01	NA
Silver-108m (^{108m} Ag)	Gamma scan (Cs removed)	<4.12E-01	NA
Barium-133 (¹³³ Ba)	Gamma scan (Cs removed)	<6.17E-01	NA
Bismuth-207 (²⁰⁷ Bi)	Gamma scan (Cs removed)	<3.91E-01	NA
Thorium-228 (²²⁸ Th)	Gamma scan (Cs removed)	<8.06E+00	NA
Curium-247 (²⁴⁷ Cm)	Am/Cm	<2.02E+00	NA
Californium-249 (²⁴⁹ Cf)	Am/Cm	<2.17E+00	NA
Californium-251 (²⁵¹ Cf)	Am/Cm	<1.58E+00	NA

4.0 Conclusions

The following conclusions are drawn from the analytical results provided in this report:

- SRR WAC targets or limits were met for all analyzed chemical and radioactive contaminants unless noted in this section.
- ^{59}Ni , ^{94}Nb , ^{247}Cm , ^{249}Cf , and ^{251}Cf are above the requested SRR target concentrations². However, they are below the detection limits established by SRNL³.
- Norpar 13 and Isopar L have higher detection limits⁵ compared with the Saltstone WAC¹. The data provided in this report is based upon the concentrations in the sub-sample, and due to the limited solubility in aqueous solution, may not represent the concentrations of the analytes in Tank 50.
- The low insoluble solids content increases the measurement uncertainty for insoluble species.

5.0 References

1. Chiu, C. K. *Waste Acceptance Criteria for Aqueous Waste Sent to the Z-Area Saltstone Production Facility*; X-SD-Z-00001, Rev. 11; Savannah River Site: Aiken, SC 29808, 2012.
2. D. B. Dixon. "Minimum Detection Limits for Saltstone Quarterly WAC Analyses," Savannah River Site, SRR-WSE-2013-00005, Rev. 1, January 2013..
3. DiPrete, C. C. *Overview of Capability to Measure Radionuclides of Interest for Saltstone*; SRNL-L4000-2009-00028; Savannah River National Laboratory: Aiken, SC 29808, 2009.
4. Crump, S. L. *Determination of Method Reporting Limits for Select Analytes by GC/MS*; SRNL-TR-2010-00206, Rev. 0; Savannah River National Laboratory: Aiken, SC, 29808, 2010.
5. Isom, S. T. *"Routine Saltstone Support - FY2013"*; HLW-SSF-TTR-2012-0021; Savannah River Site: Aiken, SC 29808, 2012.
6. Reigel, M. M. *Task Technical and Quality Assurance Plan for SRNL Support of Tank 50H Waste Acceptance Criteria (WAC) Analyses – FY2013*; SRNL-RP-2012-00814, Rev. 0; Savannah River National Laboratory: Aiken, SC 29808, 2012.
7. Coleman, C. J., Aqua Regia Dissolution of Sludge for Elemental Analysis. In *Manual L 16.1, Procedure ADS-2226, Rev. 9*, Savannah River Site, Aiken, SC 29808, 2009.
8. *Handbook of Chemistry and Physics*. 90th ed.; Edited by Lide, D. R. CRC Press: Boca Raton, FL, 2009.
9. Reigel, M. M. *Task Technical and Quality Assurance Plan for SRNL Support of TCLP Preparation and Analysis for Saltstone – FY2013*; SRNL-RP-2012-00859, Rev. 0; Savannah River National Laboratory: Aiken, SC 29808, 2013.
10. Hevel, S. D., Email TTR Revision Request, SRNL Laboratory Notebook, WSRC-NB-2007-00189, pg 30, December 20, 2007.

6.0 Distribution

Name:	Location:	Name:	Location:
P. M. Almond	773-43A	V. Jain	704-Z
C. J. Bannochie	773-42A	C. A. Langton	773-43A
M. J. Barnes	773-A	J. N. Leita	704-30S
L. W. Brown	773-A	K. R. Liner	704-S
T. B. Brown	773-A	M. J. Mahoney	766-H
P. L. Bován	704-27S	S. L. Marra	773-A
N. F. Chapman	766-H	D. J. Martin	241-246H
C. K. Chiu	704-27S	P. W. Norris	704-Z
D. R. Click	999-W	E. Patten	704-Z
L. H. Connelly	773-A	F. M. Pennebaker	773-42A
J. S. Contardi	766-H	J. W. Ray	704-S
A. D. Cozzi	999-W	M. M. Reigel	999-W
C. C. DiPrete	773-A	L. B. Romanowski	766-H
K. D. Dixon	704-14Z	E. R. Seldon	704-Z
C. E. Duffey	704-61H	A. R. Shafer	704-27S
A. D. England	704-14Z	D. C. Sherburne	704-S
S. D. Fink	773-A	F. M. Smith	705-1C
E. J. Freed	704-56H	A. V. Staub	704-Z
J. C. Griffin	773-A	K. H. Subramanian	249-8H
E. W. Harrison	704-60H	J. R. Vitali	704-71F
P. J. Hill	766-H	T. L. White	773-A
E. N. Hoffman	999-W	A. W. Wiggins	704-61H
P. R. Jackson	703-46A	R. H. Young	773-A